



## Differential ORP Sensors

ORP Sensors with Integrated Digital Electronics for Plug and Play Capability with Hach's Digital SC Controllers. Available in PEEK, Ryton, or Stainless Steel body materials and in multiple mounting styles.

The Sensors feature exceptional performance due to the Differential Electrode Measurement Technique. This field-proven technique uses three electrodes instead of the two normally used in conventional pH/ORP sensors. Process and reference electrodes measure the pH/ORP differentially with respect to a third ground electrode. The end result is unsurpassed measurement accuracy, reduced reference junction potential, and elimination of sensor ground loops. These sensors provide greater reliability, resulting in less downtime and maintenance.

Part Number	Housing material	Mounting	Cable connection	GBP Price
RD1P5.99	PEEK	Convertible	Analog	Contact Us
DRD1P5.99	PEEK	Convertible	Digital	Contact Us
DRD1P6.99	PEEK	Convertible	Digital	Contact Us
DRD1R5.99	Ryton	Convertible	Digital	Contact Us
DRD2P5.99	PEEK	Insertion	Digital	Contact Us
LXV427.99.20001				Contact Us
DRD1R6	Ryton	Convertible	Digital	Contact Us
RD1P6	PEEK	Convertible	Analog	Contact Us
RD1R5	Ryton	Convertible	Analog	Contact Us
RD1R5.99	Ryton	Convertible	Analog	Contact Us
RD2P5	PEEK	Insertion	Analog	Contact Us
RD1R6	Ryton	Convertible	Analog	Contact Us
RD1P5A50	PEEK	Convertible	Analog	Contact Us
RD2P6	PEEK	Insertion	Analog	Contact Us
RD2P5A50	PEEK	Insertion	Analog	Contact Us